


## 23 COUNTRIES 300,000 m<sup>2</sup> WATER SURFACE 45 YEARS OF EXPERIENCE 900 POOLS

From the sub-base through to the finished coat, AlphaLine stands out thanks to the sequence of precisely matched layers. The well thought-through work processes and material combinations ensure durable tightness and surprisingly pleasant surfaces. AlphaLine offers customers, planners and architects a safe panel system for all feasible forms, designs and colors in premium water parks.

The materials used meet all physiological requirements for the construction of water chutes and water parks, and the sky's the limit as far as your fantasy goes.

Thanks to its flexibility and processing security, AlphaLine is always the first choice wherever individual parts need to be integrated into installations during modernization work to turn water attractions into a fascinating experience again.

the culture of swimming pools



We have enough expertise to apply our experience and know-how to deliver a well thought-through, reliable and practical solution for every situation. We have the materials, we have the technology and also skilled specialists that give us added flexibility to be able to implement customized and unusual requirements.

Our solutions are developed in close collaboration with our project clients and after taking all parameters and conditions into account. Because one thing is clear: reliable and long-term solutions are only possible when all factors and data have been examined in detail. We take a holistic approach to the entire pool construction process, we combine materials, engineering and installation into a high-performance full package.

**IMPLEMENTED** 

**AS PLANNED** 





## THE COATING

Base coat ······

GRP laminate

Epoxy resin leveling coat

Concrete ····

## THE **STRUCTURE**

- 1. Preparation of the surface of the raw concrete/modeling concrete/screed by blasting
- 2. Hollow profiles and rounded edges ensure pleasant sliding
- 3. Moisture-controlling priming and grouting protect the concrete.
- **4.** Flat surfaces thanks to epoxy-resin grouting on the surface
- 5. GRP laminate comprising several layers of glass fiber mats and a layer of glass fleece
- 6. The finish has a beautiful dull, smooth surface thanks to the splash coating comprising a base coat and a top coat
- **7.** Expansion joints are matched to the coating surface
- 8. Non-slip surfaces (e.g. steps) can be fitted with color markings
- 9. Fitted parts are integrated precisely



